WEEK 8: Psychological Disorders Quiz

Student's Name

Institutional Affiliation

WEEK 8: Psychological Disorders Quiz

Sample Quiz Questions and Answers

(Note: The correct answers are underlined)

Quiz Questions

- 1. Which of the following medications is commonly prescribed for generalized anxiety disorder (GAD)?
- A. Lithium
- B. Sertraline
- C. Clozapine
- D. Haloperidol
- 2. What is the primary mechanism of action of selective serotonin reuptake inhibitors (SSRIs)?
- A. Inhibition of dopamine reuptake
- B. Inhibition of serotonin reuptake
- C. Blockade of NMDA receptors
- D. Agonism of GABA receptors
- 3. Which medication is considered a first-line treatment for bipolar disorder?
- A. Fluoxetine
- B. Carbamazepine
- C. Lithium
- D. Olanzapine
- 4. Which of the following side effects is commonly associated with atypical antipsychotics?
- A. Hypertension
- B. Weight gain
- C. Diarrhea
- D. Hyperthyroidism
- 5. Which medication is commonly used to treat obsessive-compulsive disorder (OCD)?
- A. Risperidone
- B. Sertraline
- C. Clonazepam
- D. Aripiprazole

- 6. What is the primary therapeutic use of benzodiazepines?
- A. Antidepressant
- B. Antipsychotic
- C. Anxiolytic
- D. Mood stabilizer
- 7. Which of the following medications is a monoamine oxidase inhibitor (MAOI)?
- A. Paroxetine
- B. Venlafaxine
- C. Phenelzine
- D. Mirtazapine
- 8. Which medication is used for the treatment of schizophrenia and is known to have a risk of agranulocytosis?
- A. Risperidone
- B. Clozapine
- C. Haloperidol
- D. Quetiapine
- 9. What is a common side effect of tricyclic antidepressants (TCAs)?
- A. Insomnia
- B. Dry mouth
- C. Increased appetite
- D. Weight loss
- 10. Which class of medications is typically prescribed for attention-deficit/hyperactivity disorder (ADHD)?
- A. Antipsychotics
- B. Stimulants
- C. SSRIs
- D. Beta-blockers